





Note: the obverse can use reeded face and smooth face

REVISED BY: Lina.L REVISION DATE: SAP V: dasso XTR	REVISION ON: PAGE NO:	 <p>dassoXTR Fused Bamboo® for Exterior Use</p> <p>6060 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxt.com Tel: 1-404-691-6872</p>	PRODUCT: EPC-POR18-96TG-PP TITLE: Nail Installation DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872 FILE: EPC-POR18-96TG-PP.DWG PRINTED:	Thickness tolerance: ±0.2mm Width tolerance: ±0.2mm length tolerance: ±1mm
---	--------------------------	---	--	--




Note: glue the face near to ground, glue on groove if needed.


REVISED BY: Lina.L REVISED DATE:	REVISE ON:	PAGE NO:	PRODUCT: EPC-POR18-96TG-PP	Thickness tolerance: $\pm 0.2\text{mm}$
SAP V: dasso XTR	 Fused Bamboo® for Exterior Use 6080 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxt.com Tel: 1-404-691-6872	TITLE: Glue Installation	DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872	Width tolerance: $\pm 0.2\text{mm}$ length tolerance: $\pm 1\text{mm}$
			FILE: EPC-POR18-96TG-PP.DWG	PRINTED:





12" center to center



24" center to center

REVISED BY: Lina.L REVISION DATE:	REVISION ON:	PAGE NO:	PRODUCT: EPC-POR18-96TG-PP	Thickness tolerance: ±0.2mm
SAP V: dasso XTR	 Fused Bamboo® for Exterior Use 6060 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxttr.com Tel: 1-404-691-6872	TITLE: Joist Spacing	DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1	Width tolerance: ±0.2mm length tolerance: ±1mm
			CONTACT: 1-404-691-6872	
			FILE: EPC-POR18-96TG-PP.DWG	PRINTED:





REVISED BY: Lina.L
 REVISED DATE:
 SAP V:
 dasso XTR

dassoXTR
 Fused Bamboo® for Exterior Use
 690 Boat Rock Blvd SW
 Atlanta, GA 30338
 www.dassoxtr.com
 Tel: 1-404-691-6872

PRODUCT: EPC-POR18-96TG-PP
 TITLE: Random 12", 24" Center to Center
 DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872
 FILE: EPC-POR18-96TG-PP.DWG PRINTED:

Thickness tolerance: ±0.2mm
 Width tolerance: ±0.2mm
 length tolerance: ±1mm



REVISED BY: Lina.L
 REVISION DATE:
 SAP-V:
 dasso XTR

REVISION NO:
 PAGE NO:



PRODUCT: EPC-POR18-96TG-PP
 TITLE: Staggered 12", 24" Center to Center
 DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872
 FILE: EPC-POR18-96TG-PP.DWG PRINTED:

Thickness tolerance: ±0.2mm
 Width tolerance: ±0.2mm
 Length tolerance: ±1mm