





REVISED BY: Lina.L REVISION DATE:	REVISION ON:	PAGE NO:	PRODUCT: XTR-POR18-96TG-PP	Thickness tolerance: ±0.2mm
SAP V: dasso XTR	 Fused Bamboo® for Exterior Use 6060 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxt.com Tel: 1-404-691-6872	TITLE: Nail Installation	DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872	Width tolerance: ±0.2mm length tolerance: ±1mm
			FILE: XTR-POR18-96TG-PP.DWG	PRINTED:




Note: glue the face near to ground, glue on groove if needed.



REVISED BY: Lina.L REVISED DATE:	REVISE ON: PAGE NO:	 <b>dassoXTR</b> <i>Fused Bamboo® for Exterior Use</i> <small>6900 Boat Rock Blvd SW          Atlanta, GA 30336  <a href="http://www.dassoxtf.com">www.dassoxtf.com</a>          Tel: 1-404-691-6872</small>	PRODUCT: XTR-POR18-96TG-PP			Thickness tolerance: ±0.2mm
SAP V: dasso XTR			TITLE: Glue Installation			Width tolerance: ±0.2mm length tolerance: ±1mm
		DRAWN BY: Lina.L	DATE: Jan 01, 2018	SCALE: 1:1	CONTACT: 1-404-691-6872	
		FILE: XTR-POR18-96TG-PP.DWG			PRINTED:	





12" center to center



24" center to center

REVISED BY: Lina.L REVISED DATE:	REVISION:	PAGE NO:	PRODUCT: XTR-POR18-96TG-PP	Thickness tolerance: ±0.2mm
SAP V: dasso XTR	 Fused Bamboo® for Exterior Use	TITLE: Joist Spacing	DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872	Width tolerance: ±0.2mm
 6060 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxt.com Tel: 1-404-691-6872			FILE: XTR-POR18-96TG-PP.DWG	length tolerance: ±1mm
			PRINTED:	




REVISED BY: Lina.L  
 REVISION: REVISED DATE:  
 SAP V:  
 dasso XTR

**dassoXTR**  
 Fused Bamboo® for Exterior Use  
 690 Boat Rock Blvd SW  
 Atlanta, GA 30338  
 www.dassoxtr.com  
 Tel: 1-404-691-6872

PRODUCT: XTR-POR18-96TG-PP  
 TITLE: Random 12", 24" Center to Center  
 DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872  
 FILE: XTR-POR18-96TG-PP.DWG PRINTED:

Thickness tolerance: ±0.2mm  
 Width tolerance: ±0.2mm  
 length tolerance: ±1mm



REVISED BY: Lina.L  
 REVISION DATE:  
 SAP-V:  
 dasso XTR

REVISION NO:  
 PAGE NO:



PRODUCT: XTR-POR18-96TG-PP  
 TITLE: Staggered 12", 24" Center to Center  
 DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872  
 FILE: XTR-POR18-96TG-PP.DWG PRINTED:

Thickness tolerance: ±0.2mm  
 Width tolerance: ±0.2mm  
 Length tolerance: ±1mm