




End view



Side view

REVISED BY: Lina.L	REVISION ON:	PAGE NO.:	PRODUCT: Wood Pallet Type 1120		Thickness tolerance: ±1mm
REVISED DATE:			TITLE: Wood Pallet Type 1120		Width tolerance: ±1mm
SAP V:			DRAWN BY: Lina.L	DATE: Jan 01, 2018	length tolerance: ±1mm
dasso XTR			SCALE: 1:1	CONTACT: 1-404-691-6872	
			FILE: EPC-DK20-G1-PP.DWG	PRINTED:	

dassoXTR
Fused Bamboo® for Exterior Use
6060 Boat Rock Blvd SW
Atlanta, GA 30336
www.dassoxt.com
Tel: 1-404-691-6872



Sleeves and Plastic Package

REVISED BY: Lina.L
 REVISED DATE:
 SAP-V:
 dasso XTR

PAGE NO:



PRODUCT: EPC-DK20-G1-PP starter & boarder decking plank: 20mm x 137mm

TITLE: Bundle Dimension

DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872


FILE: EPC-DK20-G1-PP.DWG

Thickness tolerance: ±0.2mm

Width tolerance: ±0.2mm


length tolerance: ±1mm

PRINTED:





Front view


Back view



Place in [] between each plank

Paper sleeves: place on each end of the [] bundle

REVISED BY: Lina.L REVISED DATE:	REVISE ON:	PAGE NO:	PRODUCT: EPC-DK20-G1-PP starter [] boarder decking plank : 20mm [] 137mm	Thickness tolerance: ±0.2mm
SAP V: dasso XTR			TITLE: Decking Bundle Package Layo[]	Width tolerance: ±0.2mm length tolerance: ±1mm
			DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872	
			FILE: EPC-DK20-G1-PP.DWG	PRINTED:




2mm Plywood

6 Bundles wide

There are 4 band in the middle of the pallet

There are 4 belts out of the pallet: before packaging the 4 belts, the wrap film is at least three layers and ensure full of the decking.



Layout: 8 rows x 8 layers

Corner guard on each corner

REVISED BY: Lina.L
REVISED DATE:

PAGE NO:



6060 Boat Rock Blvd SW
Atlanta, GA 30336
www.dassoxt.com
Tel: 1-404-691-6872

PRODUCT: EPC-DK20-G1-PP starter & boarder decking plank: 20mm x 137mm

TITLE: Pallet Layout

DRAWN BY: Lina.L DATE: Jan 01, 2018

SCALE: 1:1

CONTACT: 1-404-691-6872

FILE: EPC-DK20-G1-PP.DWG


PRINTED:

Thickness tolerance: ±1mm


Width tolerance: ±1mm

length tolerance: ±1mm

SAP V:
dasso XTR




Side view




Top view

REVISED BY: Lina.L REVISED DATE:	REVISE ON:	PAGE NO:	dassoXTR <i>Fused Bamboo® for Exterior Use</i> <small>6960 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxtf.com Tel: 1-404-691-6872</small>	PRODUCT: EPC-DK20-G1-PP starter <input type="checkbox"/> <input type="checkbox"/> border decking plank: 20mm <input type="checkbox"/> 137mm	Dimensions: Interior
TITLE: 20' Container Loading—18 Pallet Max					
DRAWN BY: Lina.L		DATE: Jan 01, 2018	SCALE: 1:1	CONTACT: 1-404-691-6872	
FILE: EPC-DK20-G1-PP.DWG			PRINTED:		
dasso XTR					



Side view



Top view

REVISED BY: Lina.L REVISED DATE:	REVISE ON:	PAGE NO.:	dassoXTR <i>Fused Bamboo® for Exterior Use</i> <small>690 Boat Rock Blvd SW Atlanta, GA 30336 www.dassoxtf.com Tel: 1-404-691-6872</small>	PRODUCT: EPC-DK20-G1-PP starter <input type="checkbox"/> <input type="checkbox"/> oarder decking plank : 20mm <input type="checkbox"/> 137mm	Dimensions: Interior
SAP V: dasso XTR				TITLE: 20' Container Loading—17 Pallet	
				DRAWN BY: Lina.L DATE: Jan 01, 2018 SCALE: 1:1 CONTACT: 1-404-691-6872	
				FILE: EPC-DK20-G1-PP.DWG PRINTED:	